

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
-	1520	709/223.ccls.	USPAT	2004/08/13 08:43
-	2	"20010029541"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/04 09:39
-	2	"20020002610"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/05 12:56
-	574	e-mail SAME command	USPAT	2004/08/04 10:07
-	39	(e-mail SAME command) SAME management	USPAT	2004/08/04 10:42
-	3	(e-mail SAME parse) SAME command	USPAT	2004/08/04 10:44
-	7087	print and server	USPAT	2004/08/04 10:44
-	1539	print and server and e-mail	USPAT	2004/08/04 10:44
-	133	print and server and e-mail same command	USPAT	2004/08/04 10:46
-	54	print same server and e-mail same command	USPAT	2004/08/04 10:46
-	922	(command same data) same (compare comparator comparison) and (trash discard remove delete) and (controller manger cpu) and (transmit send receive broadcast) and (order sequenced sequence number count list)	USPAT	2004/08/04 14:37
-	562	(command same data) same (compare comparator comparison) and (trash discard remove delete) and (controller manger cpu) and (transmit send receive broadcast) and (order sequenced sequence number count list) and (e-mail packet message)	USPAT	2004/08/04 14:38
-	322	(order sequenced sequence number count list) same (command same data) same (compare comparator comparison) and (trash discard remove delete) and (controller manger cpu) and (transmit send receive broadcast) and (e-mail packet message)	USPAT	2004/08/04 14:38
-	262	(order sequenced sequence number count list) same (command same data) same (compare comparator comparison) and (trash discard remove delete) and (controller manger cpu) and (transmit send receive broadcast) same (e-mail packet message)	USPAT	2004/08/04 14:47
-	19	(order sequenced sequence number count list) same (command same data) same (compare comparator comparison) same (trash discard remove delete) and (controller manger) and (transmit send receive broadcast) same (e-mail packet message)	USPAT	2004/08/04 14:51
-	1	(order sequenced sequence number count list) same ((command control)adj5 data) same (compare comparator comparison) same (trash discard remove delete) and (controller manger) and (transmit send receive broadcast) same (e-mail packet message)	USPAT	2004/08/04 15:10
-	46	(order sequenced sequence number count list) same ((command control)same data) same (compare comparator comparison choose pick) same (trash discard remove delete) and (controller manger) and (transmit send receive broadcast) same (e-mail packet message)	USPAT	2004/08/04 15:28
-	95031	(command action process procedure) same (data information info) and (transmit send receive get fetch put) and (compare comparison pick choose update synchronize overwrite select decide) and (discard overwrite trash update overwrite delete replace remove erase)	USPAT	2004/08/04 15:36

-	107442	(command action process procedure) same (data information info) and (transmit send receive get fetch put) and (compare comparison pick choose update synchronize overwrite select decide) and (discard overwrite trash update overwrite delete replace remove erase) and (type class classification plural similar like) and (packet e-mail message download transmission rpc command)	USPAT	2004/08/04 15:38
-	107442	(command action process procedure) SAME (data information info) AND (transmit send receive get fetch put) AND (compare comparison pick choose update synchronize overwrite select decide) AND (discard overwrite trash update overwrite delete replace remove erase) AND (type class classification plural similar like) AND (packet e-mail message download transmission rpc command)	USPAT	2004/08/04 15:39
-	1494	(command action process procedure) SAME (data information info) SAME (transmit send receive get fetch put) SAME (compare comparison pick choose update synchronize overwrite select decide) SAME (discard overwrite trash update overwrite delete replace remove erase) SAME (type class classification plural similar like) SAME (packet e-mail message download transmission rpc command)	USPAT	2004/08/04 15:45
-	2228	(command action message) SAME (data information info) SAME (transmit send receive get fetch put) SAME (compare comparison pick choose update synchronize overwrite select decide backup) SAME (discard overwrite trash update overwrite delete replace remove erase backup) SAME (type class classification plural similar like) SAME (packet e-mail message download transmission rpc command)	USPAT	2004/08/04 15:43
-	2219	(command action message) SAME (data information info) SAME (transmit send receive get fetch put) SAME (compare comparison pick choose update synchronize overwrite select decide backup) SAME (discard overwrite trash update overwrite delete replace remove erase backup) SAME (type class classification plural similar like) SAME (e-mail message download transmission rpc command)	USPAT	2004/08/04 15:44
-	618	(command action process procedure) SAME (data information info) SAME (transmit send receive get fetch put) SAME (compare comparison pick choose update synchronize overwrite select decide) SAME (discard overwrite trash update overwrite delete replace remove erase) SAME (type class classification plural similar like) SAME (packet e-mail message download transmission rpc command) SAME (ordered order list sequential sequence group)	USPAT	2004/08/04 16:16

-	343	(command action process procedure) SAME (data information info) SAME (transmit send receive get fetch put) SAME (compare comparison pick choose update synchronize overwrite select decide) SAME (discard overwrite trash update overwrite delete replace remove erase) SAME (type class classification plural similar like) SAME (packet e-mail message download transmission rpc command) SAME (ordered order list sequential sequence group) AND (printer imager fax copier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 16:35
-	16247	(update overwrite copy compare) AND driver AND (download sync ftp) AND (ordered order list sequential sequence group)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 07:55
-	10187	e-mail and form and internet and command	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 07:56
-	1079	e-mail same form same internet and command	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 07:56
-	125	e-mail same form same internet same command and type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 08:17
-	2	("20010029533").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 08:17
-	8683	Ohta.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:23
-	2983	709/223.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:23
-	80	379/100.12.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:24
-	413	Ohta.in. and print	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:24
-	2	Ohta.in. and print and e-mail	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 12:49
-	3055	Flynn.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:50
-	30	Flynn.in. and Lamming.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:50

-	2	2000-067815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 12:50
-	1	2000JP-2000-067815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 12:50
-	68328	(print imager copier (document NEAR5 publisher)) AND (email message packet send get put receive) AND ((select pick choose) (delete discard overwrite copy erase remove trash))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 13:03
-	1326	Luu.xp.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 13:04
-	49	Luu.xp. and email	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 13:04
-	2	("6473821").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 14:35
-	2	("6473812").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:39
-	1	6473812.pn. and time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 09:44
-	1	6499068.pn. and time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 09:41
-	1	6499068.pn. and order	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 09:43
-	1	6473812.pn. and tcp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 09:44
-	2	5,819,110.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:14
-	2	("20010029533").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:15
-	363984	e-mail command script program order request demand application instruction direct directive)NEAR5(arrange classify order sort queue stack pile line sequence sequenced first last)SAME((time AND stamp) date hour second week year day	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 08:04

-	217750	e-mail command script program order request demand application instruction direct directive)NEAR5(arrange classify order sort queue stack pile line sequence sequenced first last)NEAR10((time AND stamp) date hour second week year day	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:22
-	172690	e-mail command script program order request demand application instruction direct directive)NEAR5(arrange classify order sort queue stack pile line sequence sequenced first last)NEAR5((time AND stamp) date hour second week year day	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:27
-	12042375	e-mail command script program order request demand application driver code macro batch execute procedure method function instruction direct directive call rpc	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 08:13
-	9379492	arrange classify order sort queue stack pile line sequence sequenced first last compare pick picking selecting filter filtering routing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 08:14
-	3255019	((time AND stamp) date hour week year day version (build NEAR number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 08:14
-	2011309	(e-mail command script program order request demand application driver code macro batch execute procedure method function instruction direct directive call rpc) NEAR5 (arrange classify order sort queue stack pile line sequence sequenced first last compare pick picking selecting filter filtering routing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 08:26
-	146276	((e-mail command script program order request demand application driver code macro batch execute procedure method function instruction direct directive call rpc priority)NEAR5(arrange classify order sort queue stack pile line sequence sequenced first last compare pick picking selecting filter filtering routing))SAME((time NEAR2 stamp) date hour week year day version (build NEAR4 number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 08:28

-	107	("5860143" "6188936" "4321582" "4392725" "4497031" "4551832" "4847694" "4918615" "4924331" "5204768" "5222234" "5250942" "5261096" "5268904" "5274824" "5276861" "5276871" "5283871" "5287513" "5347110" "5359599" "5530949" "5550807" "5581478" "5625757" "5668640" "5692201" "5715474" "5729688" "5745027" "5768261" "5778256" "5790058" "5793646" "5815495" "5850602" "5875242" "5949974" "5963755" "5978477" "5999946" "6026147" "6046824" "6049741" "6052783" "6055298" "6058307" "6097929" "6100817" "6101916").pn. transmit\$4 communicat\$3 send\$3 receiv\$3 obtain\$3 acquir\$3 get\$4)near3(command control instruction script code routine function program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 08:29
-	1050107	1with((e electronic)adj(mail message)) transmit\$4 communicat\$3 send\$3 receiv\$3 obtain\$3 acquir\$3 get\$4)near3(command control instruction script code routine function program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 11:08
-	64691	1with((e electronic)adj(mail message))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 11:11
-	2193552	4SAME(appliance equipment printer copier scanner facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 11:13
-	2193551	14SAME(appliance equipment printer copier scanner facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 11:13

-	12973	(lwith((e electronic)adj(mail message)) ) SAME (appliance equipment printer copier scanner facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 11:14
-	5857	(transmit\$4 communicat\$3 send\$3 receiv\$3 obtain\$3 aquir\$3 get\$4)near3(command control instruction script code routine function program) with ((e electronic)adj(mail message))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 11:14
-	1192	((transmit\$4 communicat\$3 send\$3 receiv\$3 obtain\$3 aquir\$3 get\$4)near3(command control instruction script code routine function program) with ((e electronic)adj(mail message)) ) same (appliance equipment printer copier scanner facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 11:15
-	612	((transmit\$4 communicat\$3 send\$3 receiv\$3 obtain\$3 aquir\$3 get\$4)near3(command control instruction script code routine function program) with ((e electronic)adj(mail message)) ) same (appliance equipment printer copier scanner facsimile)) and (@ad<20000404 @rlad<20000404)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 11:17
-	238	((transmit\$4 communicat\$3 send\$3 receiv\$3 obtain\$3 aquir\$3 get\$4)near3(command control instruction script code routine function program) with ((e electronic)adj(mail message)) ) same (appliance equipment printer copier scanner facsimile)) same (sequence order version time serial consecutive contigui\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 11:17
-	127	((transmit\$4 communicat\$3 send\$3 receiv\$3 obtain\$3 aquir\$3 get\$4)near3(command control instruction script code routine function program) with ((e electronic)adj(mail message)) ) same (appliance equipment printer copier scanner facsimile)) same (sequence order version time serial consecutive contigui\$)) and (@ad<20000404 @rlad<20000404)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 12:58
-	1	PCT/JP99/07326	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:18
-	1	PCT/JP99/07326 AND update	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:49
-	0	PCT/JP99/07326 AND overwrite	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:29
-	1	PCT/JP99/07326 AND type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:01
-	1	PCT/JP99/07326 AND time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:01

-	0	PCT/JP99/07326 AND date	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:01
-	1	PCT/JP99/07326 AND history	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:28
-	0	PCT/JP99/07326 AND serial	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:29
-	64572	((e electronic)adj(mail message))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:37
-	42	((e electronic)adj(mail message))NEAR((serial ID) AND (date time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 12:55
-	44	((e electronic)adj(mail message))NEAR5((serial) AND (date time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:52
-	106	((e electronic)adj(mail message))NEAR5((serial AND NUMBER))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:57
-	53	((e electronic)adj(mail message))NEAR5((serial AND NUMBER))) AND (@ad<20000404 @rlad<20000404)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:58
-	40	((e electronic)adj(mail message))NEAR5((serial AND NUMBER))) AND (@ad<20000404 @rlad<20000404)) and (printer copies image scanner)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:55
-	114	((e electronic)adj(mail message))NEAR5((serial)NEAR(order sequenced sequence number count list))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:58
-	46	((e electronic)adj(mail message))NEAR5((serial)NEAR(order sequenced sequence number count list))) AND (@ad<20000404 @rlad<20000404)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 17:12
-	14	((e electronic)adj(mail message))NEAR5((serial)NEAR(order sequenced sequence number count list))) AND (@ad<20000404 @rlad<20000404)) and printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 12:59
-	0	"20030046347" and compare	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 17:32
-	2	("20030046347").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 17:32

-	1	((("20030046347").PN.) and (compar\$4 select delet\$3 sort\$3 evalua\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 17:33
-	149	iga.in.	USPAT	2004/08/12 08:27
-	0	PCT/JP99/07326	USPAT	2004/08/12 08:27
-	2	Iga.in. and ((e electronic)adj(mail message))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 12:41
-	64682	((e electronic)adj(mail message))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 13:24
-	12245	((e electronic)adj(mail message))) NEAR5(comm\$4 proc\$5 progra\$3 driver script instruct\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 13:24
-	1978	((e electronic)adj(mail message))) NEAR5(comm\$4 proc\$5 progra\$3 driver script instruct\$5)) SAME (copier machine scanner facsimile fax printer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 13:24
-	562	((e electronic)adj(mail message))) NEAR5(comm\$4 proc\$5 progra\$3 driver script instruct\$5)) SAME (copier machine scanner facsimile fax printer)) SAME (sequence order version time serial consecutive contigui\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 13:25
-	297	((e electronic)adj(mail message))) NEAR5(comm\$4 proc\$5 progra\$3 driver script instruct\$5)) SAME (copier machine scanner facsimile fax printer)) SAME (sequence order version time serial consecutive contigui\$) AND (@ad<20000404 @rlad<20000404)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 13:21
-	2	("6631247").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 13:24
-	2	((("6631247").PN.) AND ((e electronic)adj(mail message)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 13:25
-	1	((("6631247").PN.) AND (sequence order version time serial consecutive contigui\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 13:29
-	2	((("6631247").PN.) AND(comm\$4 proc\$5 progra\$3 driver script instruct\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 13:39
-	2	((("6631247").PN.) AND (copier machine scanner facsimile fax printer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 13:50
-	1	((("6631247").PN.) AND (prior\$4 selec\$5 first last prec\$5 choo\$7 pic\$6 postpone prom\$4 dem\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:21

-	37	((date time sequen\$3) near (compar\$4)) with ((e electronic) adj mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:43
-	6	((date time sequen\$3) near (compar\$4)) with ((e electronic) adj mail)) and serial	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:13
-	17	((ser\$5 num\$6 id ident\$3)and(date time sequen\$3)) near (compar\$4 sel\$5 pic\$4 choo\$4 prio\$5)) with ((e electronic) adj mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:20
-	17	((ser\$5 num\$6 id)and(date time sequen\$3)) near (compar\$4 sel\$5 pic\$4 choo\$4 prio\$5)) with ((e electronic) adj mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:23
-	6	((serial num\$6 id)and(date time sequen\$3)) near (compar\$4 sel\$5 pic\$4 choo\$4 prio\$5)) with ((e electronic) adj mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:28
-	2	((serial) near (compar\$4)) with ((e electronic) adj mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:14
-	2	("20010029533").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:14
-	2	((("20010029533").PN.) and time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:20
-	2	((("20010029533").PN.) and date	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:43
-	1	6067561.pn. and types	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:44
-	1	6631247.pn. and types	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 17:00
-	27	Nishmura.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 17:01
-	2	"20030046347"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 17:02
-	3996	nishimura.in.	USPAT	2004/08/13 08:49
-	26	nishimura.in. and data and electronic and message	USPAT	2004/08/13 08:45
-	1	5842043.pn.	USPAT	2004/08/13 08:45
-	1	5842043.pn. and serial	USPAT	2004/08/13 12:04
-	12	(nishimura.in. and data and electronic and message) and serial	USPAT	2004/08/13 08:46

-	1	5842043.pn. and time	USPAT	2004/08/13 08:53
-	2	("20010029533").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:05
-	0	("landlatest").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:05
-	0	((("20010029533").PN.) and last\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:06
-	2	((("20010029533").PN.) and late\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:07